

Certificate Number: N/A

Float Glass Industries Ltd
 Float Glass House, Floats Road, Manchester, M23 9QA
 Tel: 0161 946 8000. Fax: 0161 946 8092

Notified Body: N/A

EN 14449

Laminated safety glass, intended to be used in buildings and construction works

PRODUCT NAME : PILIKINGTON PYROSTOP 60-201

	27MM
Resistance to fire (EN 13501-2)	EI60
Reaction to fire (EN 13501-1)	NPD
External fire performances	NPD
Bullet resistance (EN 1063)	NPD
Explosion resistance (EN 13541)	NPD
Burglar resistance (EN356)	NPD
Pendulum body impact resistance (EN 12600)	1(B)1
Resistance against sudden temperature change and temperature differentials	40K
Wind, snow, permanent and imposed load resistance	NPDmm
Direct airborne sound reduction (EN 12758):Rw (C,Ctr)	41(0;-3)dB
Thermal properties W/m ² K -U-value (EN 673) -Normal emissivity ε _n (EN 12898)	4.7
Light Transmission / Reflection (EN 410)	86/8/8
Solar Transmission / Reflection (EN 410)	67/7/7

www.floatglass.co.uk



6th November 2006

D M Offland
 Joint Managing Director